
KNE Thermocouple Head




Dimensions





SS304, SS316 is available


Specification

Material	Alloy-Aluminum, KNE Weight 274g
Protection Tube Entry	PF1/2", PF3/4", NPT3/4", BSP1/2", BSP3/4", M20×1.5
Extension Wire Entry	PF1/2", PF3/4", NPT3/4", BSP1/2", BSP3/4", M20×1.5
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 3P-C, 4P-C, 6P-C 2P-B, 3P-B, 4P-B, 6P-B
Available Color	Silvery, Yellow, Red, Blue, Purple, Black
Approval IEC529	IP65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Material: Ceramic Terminal Block Weight: 68g 2P-B Material: Bakelite Terminal Block Weight: 56g	

3P-C	3P-B	Terminal Blocks for Connection Heads	Dimensions
		3P-C Material: Ceramic Terminal Block Weight: 82g 3P-B Material: Bakelite Terminal Block Weight: 70g	

4P-C	4P-B	Terminal Blocks for Connection Heads	Dimensions
		4P-C Material: Ceramic Terminal Block Weight: 100g 4P-B Material: Bakelite Terminal Block Weight: 84g	


6P-C	6P-B	Terminal Blocks for Connection Heads	Dimensions
		6P-C Material: Ceramic Terminal Block Weight: 80g 6P-B Material: Bakelite Terminal Block Weight: 70g	

ZONZEN

KSE Thermocouple Head





Dimensions




Specification

Material	Alloy-Aluminum, KSE Weight 144g
Protection Tube Entry	PF1/2", PF1/4", BSP1/2", BSP1/4"
Extension Wire Entry	PF3/8", BSP3/8"
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 3P-C, 4P-C 2P-B, 3P-B, 4P-B
Available Color	Silvery, Yellow, Red, Blue, Purple, Black
Approval IEC529	IP65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Material: Ceramic Terminal Block Weight: 30g 2P-B Material: Bakelite Terminal Block Weight: 24g	


3P-C	3P-B	Terminal Blocks for Connection Heads	Dimensions
		3P-C Material: Ceramic Terminal Block Weight: 28g 3P-B Material: Bakelite Terminal Block Weight: 24g	

4P-C	4P-B	Terminal Blocks for Connection Heads	Dimensions
		4P-C Material: Ceramic Terminal Block Weight: 36g 4P-B Material: Bakelite Terminal Block Weight: 28g	

KB Thermocouple Head





Dimensions





Specification

Material	Bakelite, KB Weight 145g
Protection Tube Entry	PF1/2"
Extension Wire Entry	PF1/2"
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 3P-C, 4P-C, 6P-C 2P-B, 3P-B, 4P-B, 6P-B
Available Color	Black
Approval IEC529	IP65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Material: Ceramic Terminal Block Weight: 68g 2P-B Material: Bakelite Terminal Block Weight: 56g	

3P-C	3P-B	Terminal Blocks for Connection Heads	Dimensions
		3P-C Material: Ceramic Terminal Block Weight: 82g 3P-B Material: Bakelite Terminal Block Weight: 70g	


4P-C	4P-B	Terminal Blocks for Connection Heads	Dimensions
		4P-C Material: Ceramic Terminal Block Weight: 100g 4P-B Material: Bakelite Terminal Block Weight: 84g	

6P-C	6P-B	Terminal Blocks for Connection Heads	Dimensions
		6P-C Material: Ceramic Terminal Block Weight: 80g 6P-B Material: Bakelite Terminal Block Weight: 70g	

KBS Thermocouple Head





Dimensions




Specification

Material	Bakelite, KBS Weight 82g
Protection Tube Entry	PF1/4"
Extension Wire Entry	PF3/8"
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 3P-C, 4P-C 2P-B, 3P-B, 4P-B
Available Color	Black
Approval IEC529	IP65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Material: Ceramic Terminal Block Weight: 30g 2P-B Material: Bakelite Terminal Block Weight: 24g	


3P-C	3P-B	Terminal Blocks for Connection Heads	Dimensions
		3P-C Material: Ceramic Terminal Block Weight: 28g 3P-B Material: Bakelite Terminal Block Weight: 24g	

4P-C	4P-B	Terminal Blocks for Connection Heads	Dimensions
		4P-C Material: Ceramic Terminal Block Weight: 36g 4P-B Material: Bakelite Terminal Block Weight: 28g	

KNC Thermocouple Head





Dimensions





Specification

Material	Alloy-Aluminum, KNC Weight 264g
Protection Tube Entry	PF1/2", PF3/4", NPT3/4", BSP1/2", BSP3/4", M20×1.5
Extension Wire Entry	PF1/2", PF3/4", NPT3/4", BSP1/2", BSP3/4", M20×1.5
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 3P-C, 4P-C, 6P-C 2P-B, 3P-B, 4P-B, 6P-B
Available Color	Silvery, Yellow, Red, Blue, Purple, Black
Approval IEC529	IP65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Material: Ceramic Terminal Block Weight: 68g 2P-B Material: Bakelite Terminal Block Weight: 56g	

3P-C	3P-B	Terminal Blocks for Connection Heads	Dimensions
		3P-C Material: Ceramic Terminal Block Weight: 82g 3P-B Material: Bakelite Terminal Block Weight: 70g	

4P-C	4P-B	Terminal Blocks for Connection Heads	Dimensions
		4P-C Material: Ceramic Terminal Block Weight: 100g 4P-B Material: Bakelite Terminal Block Weight: 84g	


6P-C	6P-B	Terminal Blocks for Connection Heads	Dimensions
		6P-C Material: Ceramic Terminal Block Weight: 80g 6P-B Material: Bakelite Terminal Block Weight: 70g	

ZONZEN

KSC Thermocouple Head





Dimensions




Specification

Material	Alloy-Aluminum, KSC Weight 140g
Protection Tube Entry	PF1/2", PF1/4", BSP1/2", BSP1/4"
Extension Wire Entry	PF3/8", BSP3/8"
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 3P-C, 4P-C 2P-B, 3P-B, 4P-B
Available Color	Silvery, Yellow, Red, Blue, Purple, Black
Approval IEC529	IP65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Material: Ceramic Terminal Block Weight: 30g 2P-B Material: Bakelite Terminal Block Weight: 24g	


3P-C	3P-B	Terminal Blocks for Connection Heads	Dimensions
		3P-C Material: Ceramic Terminal Block Weight: 28g 3P-B Material: Bakelite Terminal Block Weight: 24g	

4P-C	4P-B	Terminal Blocks for Connection Heads	Dimensions
		4P-C Material: Ceramic Terminal Block Weight: 36g 4P-B Material: Bakelite Terminal Block Weight: 28g	

KD Thermocouple Head


Dimensions








Specification

Material	Alloy-Aluminum, KD Weight 158g
Protection Tube Entry	PF1/2", BSP1/2", NPT1/2", M22×1.5
Extension Wire Entry	M22×1.5
Material of Terminal Block	Ceramic
Form of Terminal Block	2P-C, 3P-C, 4P-C, 6P-C
Available Color	Silvery, Yellow, Red, Blue
Approval IEC529	IP65

2P-C	Terminal Blocks for Connection Heads	Dimensions
	2P-C Material: Ceramic Terminal Block Weight: 60g	

3P-C	Terminal Blocks for Connection Heads	Dimensions
	3P-C Material: Ceramic Terminal Block Weight: 66g	

4P-C	Terminal Blocks for Connection Heads	Dimensions
	4P-C Material: Ceramic Terminal Block Weight: 72g	


6P-C	Terminal Blocks for Connection Heads	Dimensions
	6P-C Material: Ceramic Terminal Block Weight: 84g	

ZONZEN

KF Thermocouple Head





Dimensions





Specification

Material	Alloy-Aluminum, KF Weight 238g
Protection Tube Entry	PF3/4", NPT3/4"
Extension Wire Entry	PF1/2", NPT1/2"
Material of Terminal Block	Bakelite
Form of Terminal Block	2P-B, 3P-B, 4P-B, 6P-B
Available Color	Black
Approval IEC529	IP65

2P-B	Terminal Blocks for Connection Heads	Dimensions
	2P-B Material: Bakelite Terminal Block Weight: 56g	

3P-B	Terminal Blocks for Connection Heads	Dimensions
	3P-B Material: Bakelite Terminal Block Weight: 70g	


4P-B	Terminal Blocks for Connection Heads	Dimensions
	4P-B Material: Bakelite Terminal Block Weight: 84g	

6P-B	Terminal Blocks for Connection Heads	Dimensions
	6P-B Material: Bakelite Terminal Block Weight: 70g	

KG Thermocouple Head





Dimensions






Specification

Material	Alloy-Aluminum or SS304
Protection Tube Entry	M22×1.5
Extension Wire Entry	M20×1.5
Material of Terminal Block	Bakelite
Form of Terminal Block	2P-B, 3P-B, 4P-B, 6P-B
Available Color	Silver
Approval IEC529	IP65

2P-B	Terminal Blocks for Connection Heads	Dimensions
	2P-B Material: Bakelite Terminal Block Weight: 60g	

3P-B	Terminal Blocks for Connection Heads	Dimensions
	3P-B Material: Bakelite Terminal Block Weight: 66g	

4P-B	Terminal Blocks for Connection Heads	Dimensions
	4P-B Material: Bakelite Terminal Block Weight: 72g	


6P-B	Terminal Blocks for Connection Heads	Dimensions
	6P-B Material: Bakelite Terminal Block Weight: 84g	

ZONZEN

TL Thermocouple Head


Dimensions





Specification


Material	Alloy-Aluminum, TL Weight 130g
Protection Tube Entry	PF 1/2"
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 2P-B
Available Color	Silver
Approval IEC529	IP65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Terminal Block Weight: 72g	
		2P-B Terminal Block Weight: 62g	

TS Thermocouple Head


Dimensions





Specification


Material	Alloy-Aluminum, TS Weight 50g
Protection Tube Entry	PF 1/4"
Material of Terminal Block	Ceramic, Bakelite
Form of Terminal Block	2P-C, 2P-B
Available Color	Silver
Approval IEC529	IP 65

2P-C	2P-B	Terminal Blocks for Connection Heads	Dimensions
		2P-C Terminal Block Weight: 28g	
		2P-B Terminal Block Weight: 24g	

MAA Thermocouple Head


Dimensions







Specification

Material	Alloy-Aluminum, MAA Weight 76g
Protection Tube Entry	M10×1
Extension Wire Entry	M14×1.5
Material of Terminal Block	Ceramic
Form of Terminal Block	2P-C, 3P-C,4P-C
Available Color	Silver, Red, Blue
Approval IEC529	IP65

2P-C	Terminal Blocks for Connection Heads	Dimensions
	2P-C Material: Ceramic Terminal Block Weight: 16g	


3P-C	Terminal Blocks for Connection Heads	Dimensions
	3P-C Material: Ceramic Terminal Block Weight: 18g	

4P-C	Terminal Blocks for Connection Heads	Dimensions
	4P-C Material: Ceramic Terminal Block Weight: 20g	

NAA Thermocouple Head





Dimensions





Specification

Material	Alloy-Aluminum, NAA Weight 164g
Protection Tube Entry	PF1/2", NPT1/2", BSP1/2", M20×1.5
Extension Wire Entry	PF1/2", NPT1/2", BSP1/2", M20×1.5
Material of Terminal Block	Ceramic
Form of Terminal Block	2P-C, 3P-C,4P-C, 6P-C
Available Color	Silver, Red, Blue
Approval IEC529	IP65

2P-C	Terminal Blocks for Connection Heads	Dimensions
	2P-C Material: Ceramic Terminal Block Weight: 60g	

3P-C	Terminal Blocks for Connection Heads	Dimensions
	3P-C Material: Ceramic Terminal Block Weight: 66g	


4P-C	Terminal Blocks for Connection Heads	Dimensions
	4P-C Material: Ceramic Terminal Block Weight: 72g	

6P-C	Terminal Blocks for Connection Heads	Dimensions
	6P-C Material: Ceramic Terminal Block Weight: 84g	

DANA Thermocouple Head


Dimensions








Specification

Material	Alloy-Aluminum, DANA Weight 253g
Protection Tube Entry	PF1/2", PF3/4", NPT1/2", NPT3/4", BSP1/2", BSP3/4", M20×1.5
Extension Wire Entry	PF1/2", PF3/4", NPT1/2", NPT3/4", BSP1/2", BSP3/4", M20×1.5
Material of Terminal Block	Ceramic
Form of Terminal Block	2P-C, 3P-C,4P-C, 6P-C
Available Color	Silver, Red, Blue
Approval IEC529	IP65

2P-C	Terminal Blocks for Connection Heads	Dimensions
	2P-C Material: Ceramic Terminal Block Weight: 68g	

3P-C	Terminal Blocks for Connection Heads	Dimensions
	3P-C Material: Ceramic Terminal Block Weight: 82g	


4P-C	Terminal Blocks for Connection Heads	Dimensions
	4P-C Material: Ceramic Terminal Block Weight: 100g	

6P-C	Terminal Blocks for Connection Heads	Dimensions
	6P-C Material: Ceramic Terminal Block Weight: 80g	

DAAD Thermocouple Head


Dimensions







Specification

Material	Alloy-Aluminum, DAAD Weight 390g
Protection Tube Entry	PF1/2", PF3/4", NPT1/2", NPT3/4", BSP1/2", BSP3/4", M20×1.5
Extension Wire Entry	PF1/2", NPT1/2", BSP1/2", M20×1.5
Material of Terminal Block	Ceramic
Form of Terminal Block	2P-C, 3P-C,4P-C, 6P-C
Available Color	Silver, Red, Blue
Approval IEC529	IP65

2P-C	Terminal Blocks for Connection Heads	Dimensions
	2P-C Material: Ceramic Terminal Block Weight: 68g	

3P-C	Terminal Blocks for Connection Heads	Dimensions
	3P-C Material: Ceramic Terminal Block Weight: 82g	

4P-C	Terminal Blocks for Connection Heads	Dimensions
	4P-C Material: Ceramic Terminal Block Weight: 100g	

6P-C	Terminal Blocks for Connection Heads	Dimensions
	6P-C Material: Ceramic Terminal Block Weight: 80g	